

DEP ID Back Cove, Portland - Rep 1
EXT ID L9632-5
ng/kg

Compound

PCB-1	B 0.783	B
PCB-2	B 0.823	KB
PCB-3	B 0.835	KB
PCB-4	1.11	K
PCB-5	< 0.181	<
PCB-6	0.643	K
PCB-7	K 0.241	K
PCB-8	B 2.83	B
PCB-9	0.186	<
PCB-10	< 0.173	<
PCB-11	B 25.3	B
PCB-12 + 13	K 0.825	K
PCB-14	< 0.17	<
PCB-15	3.51	
PCB-16	B 3.59	B
PCB-17	B 5.25	B
PCB-18 + 30	B 10.4	B
PCB-19	B 1.17	B
PCB-20 + 28	B 32.4	B
PCB-21 + 33	B 11	B
PCB-22	B 10.3	B
PCB-23	< 0.0497	<
PCB-24	K 0.186	K
PCB-25	B 2.96	B
PCB-26 + 29	B 5.65	B
PCB-27	0.991	
PCB-31	B 24.3	B
PCB-32	B 4.69	B
PCB-34	0.221	K
PCB-35	1.36	
PCB-36	2.49	
PCB-37	B 7.7	B
PCB-38	K 0.181	
PCB-39	K 0.461	K
PCB-40 + 41 + 71	B 39.3	B
PCB-42	B 21.1	B
PCB-43	3.59	
PCB-44 + 47 + 65	B 93.2	B
PCB-45 + 51	B 7.7	B
PCB-46	2.54	K
PCB-48	B 14.4	B
PCB-49 + 69	B 70	B
PCB-50 + 53	8.26	
PCB-52	B 161	B
PCB-54	K 0.082	K
PCB-55	3.34	<
PCB-56	B 47.8	B
PCB-57	0.692	

PCB-58	0.523	<
PCB-59 + 62 + 75	7.97	
PCB-60	B 24.2	B
PCB-61 + 70 + 74 + 76	B 230	B
PCB-63	5.56	
PCB-64	B 39.1	B
PCB-66	B 109	B
PCB-67	4.75	
PCB-68	2.05	
PCB-72	2.79	
PCB-73	< 0.0497	<
PCB-77	B 11.8	B
PCB-78	< 0.154	<
PCB-79	6.34	
PCB-80	< 0.136	<
PCB-81	K 0.588	K
PCB-82	51.1	
PCB-83 + 99	B 452	B
PCB-84	96	
PCB-85 + 116 + 117	B 115	B
PCB-86 + 87 + 97 + 108 + 119 + 125	B 416	B
PCB-88 + 91	66	
PCB-89	3.44	
PCB-90 + 101 + 113	B 741	B
PCB-92	127	
PCB-93 + 95 + 98 + 100 + 102	B 385	B
PCB-94	1.92	
PCB-96	1.55	
PCB-103	4.81	
PCB-104	K 0.062	<
PCB-105	B 271	B
PCB-106	< 0.148	<
PCB-107 + 124	25.2	
PCB-109	61.6	<
PCB-110 + 115	B 666	B
PCB-111	0.977	
PCB-112	< 0.19	<
PCB-114	14	
PCB-118	B 734	B
PCB-120	5.26	
PCB-121	0.213	<
PCB-122	7.77	
PCB-123	11.6	
PCB-126	2.28	K
PCB-127	< 0.153	
PCB-128 + 166	B 197	B
PCB-129 + 138 + 160 + 163	B 1490	B
PCB-130	83.2	
PCB-131	10.5	
PCB-132	286	
PCB-133	22.6	
PCB-134 + 143	46.8	

PCB-135 + 151 + 154	338	
PCB-136	91.3	
PCB-137	18.5	
PCB-139 + 140	20.1	
PCB-141	B 12.9	B
PCB-142	< 0.351	<
PCB-144	46.9	
PCB-145	0.355	K
PCB-146	B 258	B
PCB-147 + 149	B 867	B
PCB-148	1.97	
PCB-150	1.6	
PCB-152	0.738	K
PCB-153 + 168	B 1580	B
PCB-155	0.58	
PCB-156 + 157	B 97	B
PCB-158	B 119	B
PCB-159	< 0.247	<
PCB-161	< 0.244	<
PCB-162	4.76	K
PCB-164	11.4	
PCB-165	K 1.32	<
PCB-167	58	
PCB-169	< 0.241	<
PCB-170	B 28.2	B
PCB-171 + 173	81.3	
PCB-172	2.43	
PCB-174	B 1.77	B
PCB-175	14.7	
PCB-176	37	
PCB-177	B 186	B
PCB-178	90.3	
PCB-179	140	
PCB-180 + 193	B 201	B
PCB-181	0.514	K
PCB-182	< 0.0497	<
PCB-183 + 185	B 262	B
PCB-184	1.07	
PCB-186	< 0.0497	<
PCB-187	B 654	B
PCB-188	1.74	
PCB-189	5.81	
PCB-190	20.7	
PCB-191	4.08	
PCB-192	< 0.0497	<
PCB-194	B 13.6	B
PCB-195	B 1.63	B
PCB-196	B 1.81	KB
PCB-197 + 200	11.5	
PCB-198 + 199	B 2.49	B
PCB-201	38.9	
PCB-202	B 92	B

PCB-203	B 19.3	B
PCB-204	< 0.0497	<
PCB-205	1.26	
PCB-206	B 2.37	B
PCB-207	0.337	
PCB-208	0.746	
PCB-209	B 3.68	KB
Total PCBs	12900	
Total TEQ (ND=0)	0.265	
Total TEQ (ND=1/2DL)	0.269	
Total TEQ (ND=DL)	0.272	
% Lipid	1.31	
Sample weight (g)	10.1	
% Moisture	87.1	

FLAGS

< =not detected
 K =peak detected, but did not meet quantific
 D =dilution data
 B =analyte found in sample and the associa

Back Cove, Portland - Rep 2 L9632-11 ng/kg	Back Cove, Portland - Rep 3 L9632-17 ng/kg	Cocktail Cove, GDI - Rep 1 L9632-3 ng/kg	
0.751	B 0.818	B 0.765	B
0.749	B 0.897	B 0.818	B
0.843	B 0.97	B 0.837	B
1.06	1.11	K 1.02	
0.39	< 0.34	< 0.173	<
0.8	K 0.745	K 0.407	K
0.408	< 0.316	K 0.203	
3.08	B 2.61	B 1.74	B
0.353	< 0.3	K 0.182	<
0.373	< 0.306	< 0.166	<
25.6	B 26.3	B 25.3	B
0.774	0.955	K 0.691	K
0.365	< 0.307	< 0.16	<
3.44	3.41	1.93	
4.17	B 3.56	B 2.69	B
5.33	B 4.87	B 3.38	B
11.8	B 9.75	B 7.18	B
1.06	KB 1.02	B 0.713	B
33.9	B 30.6	B 23.1	B
10.4	B 9.94	B 6.47	B
9.13	B 9.18	B 5.01	B
0.123	< 0.0495	< 0.0498	<
0.15	0.186	0.118	K
3.11	B 2.64	B 2.09	B
5.31	B 5.01	B 3.81	B
1.03	0.934	0.784	
24.3	B 22.2	B 14	B
4.91	B 4.32	B 2.48	B
0.171	0.217	0.218	
1.27	K 1.47	1.03	
2.48	2.56	2.45	
14.2	B 7.65	B 3.9	B
1.35	0.089	< 0.0498	K
2.21	0.493	0.427	
35.9	B 38.9	B 19.6	B
21.8	B 21.1	B 11.7	B
3.03	3.51	1.5	
89.8	B 90.5	B 46.2	B
7.7	B 7.54	B 3.83	
2.46	2.46	1.44	
12.1	B 14	B 6.23	B
67.4	B 68.8	B 36	B
8.53	8.12	4.47	
167	B 157	B 68	
0.101	0.105	< 0.0498	
0.37	K 2.94	1.16	K
44.9	B 46.7	B 17.4	B
0.571	0.829	0.422	

0.366	0.405	0.271	
7.59	8.09	4.22	
21.3	B 23.2	B 9.43	B
226	B 240	B 93.8	B
5.68	5.62	2.64	
35.7	B 38.5	B 15.9	B
112	B 112	B 49.2	B
4.38	4.7	1.97	
1.68	2.11	1.55	
2.6	2.88	1.65	
0.0672	< 0.0495	< 0.0498	<
11.7	B 11.2	B 5.96	B
0.358	< 0.232	< 0.183	<
20.5	7.84	K 2.13	
0.316	< 0.207	< 0.16	<
3	K 0.504	K 0.254	K
51.6	45.4	16.6	
490	B 434	B 173	B
101	88.5	33.4	
118	B 106	B 40.3	B
444	B 390	B 123	B
71.8	63.7	22.4	
3.94	3.41	1.47	
820	B 712	B 233	B
135	121	42.3	
421	B 369	B 131	B
2.18	1.88	0.855	K
1.63	1.34	K 0.593	
5.44	4.82	2.92	
0.0949	K 0.056	< 0.0498	<
308	B 252	B 69.9	B
0.643	< 0.234	< 0.105	<
24.1	23.7	6.91	
0.228	58.3	21	
748	B 622	B 187	B
0.86	K 0.734	K 0.594	
0.228	< 0.131	< 0.0859	<
15.4	12.6	3.32	
787	B 691	B 217	B
6.89	4.8	2.76	
0.236	K 0.136	K 0.205	
5.84	6.66	1.96	
14.3	9.98	3.22	
2.03	2	0.969	
3.01	< 0.247	< 0.107	<
273	B 196	B 64.5	B
1740	B 1450	B 437	B
89.6	81.5	27.8	
12.4	9.92	3.25	
319	276	84.9	
25.9	22.6	10.4	
47.5	45.3	14.3	

379	320	116	
107	92.5	29.7	
16	17.6	5.76	
21.2	19.7	7.02	
11.5	B 11.4	B 4.85	B
1.61	< 0.337	< 0.156	<
50.1	44.9	13.3	
0.329	K 0.433	0.121	
299	B 254	B 95.7	B
1010	B 816	B 259	B
2.07	2.08	1.48	
1.71	1.43	0.762	
0.967	K 0.762	0.301	
1850	B 1570	B 512	B
0.665	K 0.541	K 0.344	
97.3	B 92.5	B 25.3	B
129	B 117	B 27.6	B
1.13	< 0.24	< 0.109	<
1.12	< 0.235	< 0.107	<
3.4	4.21	1.67	
8.19	9.54	3.86	
1.27	1.23	1.04	
59.3	54.6	16	
1.28	< 0.25	< 0.12	<
17.6	B 21.5	B 10	B
68.7	77.3	23.7	
1.35	1.95	K 1.33	
1.33	B 1.48	B 0.912	B
13.5	13.8	5.04	
35.2	36.9	11.8	
198	B 181	B 61.6	B
89.6	89.3	35.8	
138	137	44.6	
167	B 173	B 63.2	B
0.291	0.385	K 0.166	K
0.0865	< 0.0495	< 0.0498	<
250	B 252	B 75.1	B
1.01	1.23	0.524	
0.0712	< 0.0495	< 0.0498	<
664	B 629	B 220	B
2.02	1.73	1.21	K
5.96	5.78	1.82	
15.6	18.5	4.41	
2.47	3.43	1.09	
0.0788	< 0.0495	< 0.0498	<
11.2	B 10.6	B 5.41	B
0.899	B 1.44	B 0.769	B
1.21	B 1.63	KB 1.21	B
9.46	11.1	4.38	
1.39	B 1.76	B 1.55	B
35.3	38.6	14.5	
92.4	B 90	B 33.8	B

11.9	B 15.6	B 7.49	B
0.0358	< 0.0495	< 0.0498	<
1.05	0.95	0.416	
1.03	B 1.77	B 1.4	B
0.196	0.245	K 0.258	
0.548	0.664	0.518	K
2.55	B 2.8	B 1.73	B
14000	12400	4250	
0.0398	0.235	0.108	
0.0968	0.238	0.109	
0.154	0.242	0.111	
1.12	1.12	1.28	
10.1	10.1	10	
86.7	86.3	84	

cation criteria, result reported represents the estimated maximum possible concentration

ated blank

Cocktail Cove, GDI - Rep 2 L9632-9 ng/kg	Cocktail Cove, GDI - Rep 3 L9632-15 ng/kg	Mill Creek, Falmouth - Rep 1 L9632-2 (A) ng/kg	
0.608	B 0.678	KB 1.01	B
0.742	B 0.889	B 0.862	B
0.61	B 0.706	B 1.05	B
1.17	0.966	3.43	
0.176	< 0.214	< 0.183	K
0.409	0.451	1.69	
0.2	< 0.199	0.475	
1.95	B 1.86	B 8.93	B
0.16	< 0.189	0.606	
0.169	< 0.192	< 0.171	
29.7	B 30	B 42.6	B
0.575	K 0.582	K 1.46	K
0.165	< 0.193	< 0.168	<
2.18	K 2.16	7.25	
2.79	B 2.69	B 9.49	B
3.81	B 3.46	B 11.7	B
7.76	B 6.96	B 24.6	B
0.746	KB 0.728	B 2.46	B
24.8	B 22.9	B 67.7	B
6.55	B 6.33	B 24.8	B
5.62	B 4.95	B 17	B
0.0496	< 0.0491	< 0.0494	K
0.119	K 0.109	0.37	
2.24	B 2	B 5.6	B
4.1	B 3.64	B 11.6	B
0.8	0.786	2.28	
15.3	B 14.1	B 45.7	B
2.73	B 2.64	B 7.98	B
0.171	0.179	0.38	K
1.02	K 1.05	K 2.25	
2.56	2.55	4	
4.03	B 3.84	B 12.4	B
0.081	K 0.101	K 0.098	
0.315	0.336	K 0.603	
19.3	B 19.3	B 45	B
11.2	B 11.1	B 24.1	B
1.66	K 1.53	3.58	
46.5	B 45.7	B 120	B
3.87	B 3.54	B 8.02	B
1.4	1.23	3.04	
6.37	B 5.96	B 14.7	B
35.7	B 35.2	B 87.8	B
4.45	4.16	9.68	
69	B 67.5	B 220	
0.058	K 0.05	K 0.104	
1.42	< 0.13	3.3	
16.8	B 18	B 47.2	B
0.478	0.527	0.773	

0.25	0.434	< 0.141	<
4.36	4.08	8.83	
9.68	B 9.24	B 24.6	B
95.2	B 97.3	B 279	B
2.74	2.85	5.63	
15.9	B 15.2	B 42.3	B
49.7	B 52.8	B 124	B
2.29	2.25	4.5	
1.37	1.41	2.3	
1.84	1.85	3.23	K
0.0496	< 0.0491	< 0.0494	<
5.56	B 5.63	B 16.8	B
0.209	< 0.122	< 0.138	<
2.26	2.32	5.32	
0.185	< 0.109	< 0.123	<
0.286	K 0.191	K 0.522	K
16.3	15.9	48.6	
163	B 165	B 375	B
33.6	30.9	101	
38.7	B 38.8	B 100	B
119	B 118	B 358	B
21.5	21.1	59.6	
1.39	1.33	3.52	
217	B 222	B 608	B
40.6	39.4	108	
126	B 120	B 369	B
0.856	0.778	1.88	
0.623	0.545	1.55	
2.82	2.48	4.85	
0.0496	< 0.0491	< 0.0509	<
70.3	B 68.3	B 194	B
0.104	< 0.139	< 0.151	<
6.82	6.37	18.5	
20.3	19.7	42	
180	B 177	B 561	B
0.6	0.625	0.982	
0.134	< 0.0553	< 0.119	<
3.62	3.15	8.2	
217	B 214	B 558	B
2.67	2.64	4.26	
0.139	0.196	0.273	
1.95	1.75	4.95	K
3.65	3.5	8.99	K
0.925	0.864	2.48	
0.107	< 0.147	< 0.152	<
62.4	B 64.7	B 124	B
411	B 427	B 861	B
26.2	27.3	53.6	
2.87	2.75	6.98	
80.2	79.1	191	
9.26	9.38	17.1	
13.6	13.1	31.5	

109	101	235	
27.9	26.8	62	
5.49	6.03	12.2	
6.26	6.08	12.5	
4.72	B 4.95	B 12	B
0.186	< 0.284	< 0.289	<
12.5	11.8	27.4	
0.148	K 0.09	0.282	
88.7	B 93	B 168	B
240	B 232	B 525	B
1.25	1.36	1.92	
0.806	0.721	1.32	
0.314	K 0.285	0.549	
462	B 498	B 959	B
0.311	0.348	0.372	K
24.3	B 25.5	B 53.5	B
27.2	B 27.7	B 57.7	B
0.131	< 0.203	< 0.198	K
0.129	< 0.198	< 0.199	<
1.52	1.62	2.81	
3.75	3.76	8.93	
0.804	0.889	1.16	
15.2	16.5	31.7	
0.131	< 0.195	< 0.3	<
10.3	B 10.6	B 24.3	B
22.1	23.6	42	
1.38	1.44	2.89	
0.69	B 0.792	B 2.22	B
4.76	4.84	8.51	
10.1	11	19.8	
55.3	B 61.8	B 110	B
32.5	35.2	61.7	
40.1	42.5	80.4	
60.3	B 65.9	B 129	B
0.108	0.233	0.387	
0.0496	< 0.0491	< 0.0494	<
67.5	B 74.6	B 127	B
0.478	0.507	0.733	
0.0496	< 0.0491	< 0.0494	<
199	B 218	B 384	B
1.17	1.22	1.5	
1.66	1.83	3.12	
4.27	4.51	9.97	
1.07	1.13	2.34	
0.0496	< 0.0491	< 0.0494	<
5.31	B 5.97	B 10.8	B
0.792	B 0.723	B 2.09	B
0.966	B 1.09	B 3.1	B
3.59	4.32	6.16	
1.29	B 1.31	B 4.12	B
12.6	14.3	20.5	
30.2	B 36	B 46.9	B

7.03	B 7.43	B 12.3	B
0.0496	< 0.0491	< 0.0494	<
0.308	K 0.341	0.736	
1.05	B 1.16	B 1.78	B
0.171	0.194	K 0.264	
0.334	K 0.601	K 0.572	
1.39	B 2.62	B 1.41	B
4030	4110	9540	
0.103	0.0969	0.275	
0.105	0.0999	0.28	
0.107	0.103	0.284	
1.21	1.23	1.66	
10.1	10.2	10.1	
85.2	84.4	82.9	

Mill Creek, Falmouth - Rep 1 (Duplicate)	Mill Creek, Falmouth - Rep 2	Mill Creek, Falmouth - Rep 3
WG21297-103 (DUP L9632-2)	L9632-8	L9632-14
ng/kg	ng/kg	ng/kg

1.18	B 1.02	B 0.727	B
0.987	B 1.09	B 0.807	B
1.18	B 0.884	B 0.637	B
3.41	4.1	3.9	
0.171	< 0.209	< 0.245	<
1.59	2.13	1.84	
0.419	K 0.487	0.526	K
8.87	B 11.3	B 10.7	B
0.572	0.655	0.613	
0.161	< 0.2	< 0.22	<
44.2	B 42.6	B 42.2	B
1.35	1.34	K 1.23	
0.144	< 0.196	< 0.221	<
7.02	8.99	8.54	
9.56	B 11.9	B 11.6	B
11.5	B 14	B 13.2	B
24	B 29.7	B 28.4	B
2.36	B 2.85	B 2.5	KB
67	B 77.7	B 74.9	B
24.8	B 30.9	B 27.8	B
17	B 20.5	B 19.2	B
0.054	< 0.05	K 0.119	K
0.365	0.396	0.438	K
5.39	B 6.21	B 5.92	B
11.1	B 12.7	B 12.2	B
2.13	2.61	2.49	
46.2	B 53.1	B 51	B
7.83	B 9.78	B 8.96	B
0.371	0.456	0.348	
2.29	2.19	2.12	
4.05	3.71	3.56	
12.6	B 14.3	B 14.3	B
0.084	< 0.0477	0.104	K
0.666	K 0.633	0.616	K
45	B 49.6	B 44.9	B
24	B 26.4	B 23.4	B
3.2	4.32	3.5	
122	B 136	B 125	B
8.41	B 9.14	B 8.58	B
3	3.42	3.15	
15.1	B 16	B 14.8	B
89.2	B 98.7	B 89.4	B
9.89	10.9	10.5	
223	B 265	B 240	B
0.102	K 0.12	K 0.08	
2.94	K 3.24	3.14	K
45.8	B 49.7	B 48.1	B
0.822	0.846	0.903	

0.24	K 0.75	< 0.178	<
8.89	9.57	8.52	
24.8	B 26.2	B 25.4	B
284	B 317	B 308	B
5.75	6.28	5.58	
43.1	B 47	B 44.1	B
122	B 134	B 131	B
4.61	5.09	4.7	
2.1	2.46	2.26	
3.14	3.26	3.06	
0.0497	< 0.0477	< 0.05	<
16.4	B 17.7	B 16.3	B
0.235	< 0.196	< 0.173	<
5.17	5.41	5.06	
0.209	< 0.173	0.207	<
0.634	K 0.741	K 0.653	K
47.7	50.6	45.5	
382	B 398	B 375	B
103	114	102	
98	B 101	B 93.2	B
354	B 376	B 340	B
59.2	63.1	58.8	
3.27	3.62	3.11	
617	B 657	B 602	B
109	114	104	
382	B 403	B 368	B
1.98	2.08	1.84	
1.56	1.8	1.52	
5.02	5.07	4.68	
0.0497	< 0.0477	< 0.05	K
197	B 209	B 186	B
0.142	< 0.16	< 0.176	<
18	19.2	17.5	
42.4	46.4	41.4	
554	B 595	B 528	B
0.968	K 0.856	0.815	
0.0523	< 0.187	< 0.116	<
8.07	9.57	8.06	
565	B 610	B 536	B
4.11	4.26	3.44	
0.303	0.252	0.26	
4.31	5.12	4.77	
9.03	8.79	K 8.09	K
2.42	2.51	2.37	K
0.143	< 0.165	< 0.186	<
121	B 126	B 115	B
825	B 838	B 739	B
50.9	52.4	45.9	
6.62	6.87	6.08	
179	189	166	
16.6	15.8	13.7	
29.7	30.4	26.6	

223	217	181	
62.9	65.8	59.5	
11.8	12	11.1	
12.1	12.2	10.6	
11.4	B 10.5	B 10.1	B
0.217	< 0.253	< 0.183	<
26.7	26.7	22.9	
0.269	K 0.261	0.298	K
162	B 158	B 139	B
498	B 522	B 432	B
1.88	1.71	1.64	
1.31	1.39	1.17	
0.6	0.588	0.516	
917	B 892	B 785	B
0.39	K 0.412	0.351	
53.6	B 54.7	B 49	B
56	B 57.4	B 52.5	B
0.181	< 0.178	< 0.131	<
0.149	< 0.176	< 0.128	<
2.77	2.87	2.49	
8.55	8.8	8.38	
1.18	1.11	K 0.845	
31.6	31.6	28.8	
0.3	< 0.3	< 0.128	<
18.8	B 18.5	B 17.5	B
40	39.5	35.1	
2.16	2.28	2.29	
1.71	B 1.54	B 1.52	B
7.76	8.31	7.16	
19.2	19	16.5	
110	B 105	B 92.4	B
56.7	55.7	50	
75.7	74.8	66	
113	B 110	B 102	B
0.215	K 0.229	K 0.319	
0.0497	< 0.0477	< 0.05	<
121	B 121	B 104	B
0.536	K 0.58	K 0.499	
0.0497	< 0.0477	< 0.05	<
363	B 351	B 316	B
1.53	1.49	1.38	
3.19	3.13	2.73	
8.71	7.95	7.16	
1.99	1.94	1.82	
0.0497	< 0.0477	< 0.05	<
9.08	B 8.34	B 8.12	B
1.28	B 1.21	B 1.22	KB
1.84	B 1.59	B 1.55	B
5.91	5.9	5.11	
2.48	B 2.08	B 2.18	B
19.6	19.8	17.1	
46.3	B 45	B 40.8	B

10.9	B 10.5	B 9.79	B
0.0497	< 0.0477	< 0.05	<
0.607	0.57	0.472	
1.46	B 1.27	B 1.42	B
0.29	0.255	0.228	
0.506	0.437	K 0.864	
1.31	B 1.23	B 2.35	B
9340	9760	8770	
0.269	0.281	0.263	
0.274	0.285	0.265	
0.278	0.29	0.267	
1.65	2.11	1.51	
10.1	10.5	10	
82.5	81.9	82	

Spruce Creek, Kittery - Rep 1 L9632-1 ng/kg	Spruce Creek, Kittery - Rep 2 L9632-7 ng/kg	Spruce Creek, Kittery - Rep 3 L9632-13 ng/kg	
1.03	B 0.857	B 0.479	B
0.893	B 0.812	B 0.569	B
1.1	B 0.905	B 0.5	B
1.98	3.9	1.76	<
0.172	K 0.203	< 0.139	<
0.772	1.91	K 0.889	<
0.331	0.54	K 0.294	<
4.05	B 9.28	B 4.39	B
0.278	0.681	K 0.291	<
0.165	K 0.225	< 0.133	<
20.3	B 18.3	B 14.2	B
0.836	1.13	K 0.633	<
0.16	< 0.179	< 0.13	<
6.65	9.9	7.04	
6.36	B 10.9	B 6.63	B
8.75	B 14.4	B 8.97	B
16.4	B 28.3	B 18.4	B
1.76	B 2.98	B 1.81	B
57.1	B 78.1	B 55.7	B
21	B 31.2	B 21.8	
15.8	B 23.7	B 17.2	B
0.101	K 0.102	K 0.088	<
0.22	K 0.444	0.253	<
4.61	B 6.18	B 4.26	B
8.53	B 12.4	B 8.25	B
1.53	2.38	1.54	
40	B 58.7	B 42.1	B
8.62	B 11.3	B 7.25	B
0.42	0.436	K 0.274	<
1.66	1.8	1.31	K
1.99	1.79	1.22	K
14.8	B 20.6	B 15.6	B
0.105	0.089	0.124	<
0.618	0.655	K 0.457	K
49	B 60.2	B 44.6	B
26.9	B 32.1	B 24.9	B
3.69	4.77	3.63	
106	B 125	B 92.7	B
9.92	B 12.5	B 8.64	B
2.92	4.12	2.97	K
16.9	B 21.9	B 16.6	KB
92	B 103	B 76.3	B
10.3	12.6	9.16	K
141	B 171	B 127	B
0.125	0.152	0.114	<
10.6	4.02	2.27	K
50.7	B 60.1	B 44.7	B
0.967	1.14	0.835	<

0.221	1.19	0.858	<
10.3	11.9	8.66	
23.9	B 30.4	B 22.8	B
238	B 283	B 218	B
7.38	8.09	5.67	
40.6	B 48.8	B 37.3	B
144	B 169	B 124	B
5.51	6.69	4.79	
5.31	4.39	2.74	
4.91	4.64	2.91	K
0.0491	< 0.0491	< 0.0494	<
16.9	B 18.5	B 13.9	B
0.226	< 0.155	< 0.0895	<
6.91	6.32	4.18	K
0.198	< 0.137	< 0.0791	<
0.619	K 0.845	K 0.484	<
39.5	42.1	30.9	
588	B 548	B 372	B
81.2	89	62.1	
116	B 111	B 76.7	B
352	B 361	B 260	B
74	75	51.9	K
3.62	3.64	2.76	K
747	B 720	B 507	B
130	126	87.7	
349	B 358	B 255	B
2.78	2.63	1.81	K
1.41	1.59	1.21	K
10.3	8.92	5.72	K
0.067	K 0.084	< 0.0494	<
233	B 253	B 186	B
0.161	< 0.205	< 0.119	<
21.5	22.2	14.4	
86.6	77.5	53.2	
635	B 633	B 449	B
2.15	1.87	K 1.16	K
0.133	< 0.256	< 0.107	<
10.4	11.6	8.02	K
831	B 855	B 626	B
14.3	11.6	7.21	
0.581	0.4	0.298	<
6.32	6.86	4.49	
10.6	13.2	8.42	K
3.26	K 2.96	2.15	
0.165	< 0.212	< 0.123	<
239	B 216	B 152	B
1820	B 1650	B 1130	B
103	94.8	64.3	
8.91	8.89	6.6	<
285	293	205	
34.4	30.3	20.5	
50.6	50.4	34.7	

389	367	251	
96	93.4	63	
14.1	15.1	11.1	
22.6	20.9	11	K
12.5	B 13.9	B 8.73	KB
0.251	< 0.318	< 0.195	<
39.9	38.9	27.7	
0.348	0.364	K 0.249	<
371	B 334	B 219	B
967	B 928	B 636	B
4.69	3.97	2.56	K
3.58	3.26	2.09	K
0.796	0.755	K 0.507	<
2090	B 1890	B 1280	B
0.941	K 0.885	0.591	
101	B 100	B 77.5	B
119	B 112	B 78.4	B
0.175	< 0.224	< 0.137	<
0.172	< 0.221	< 0.135	<
6.05	5.41	3.74	K
12.4	12.4	8.57	
3.41	2.43	1.44	<
74.2	68.6	50.9	
0.36	< 0.3	< 0.138	<
25.1	B 24.5	B 13.6	B
97.2	82.6	54.6	
2.66	2.54	1.61	K
2.15	B 2.2	B 1.43	B
18.6	15.3	10	
39.9	35.2	23.4	
234	B 196	B 128	B
132	107	71.7	
156	137	89.8	
167	B 159	B 102	B
0.445	K 0.446	0.224	<
0.0491	< 0.0491	< 0.0494	<
303	B 254	B 168	B
1.72	1.49	0.999	K
0.0491	< 0.0491	< 0.0494	<
845	B 717	B 473	B
4.72	3.93	2.56	K
6.77	6.04	4.65	K
23.9	22.5	13.2	K
3.94	3.7	2.15	K
0.0491	< 0.0491	< 0.0494	<
10.7	B 10.8	B 6.86	B
1.25	B 1.31	B 0.884	KB
1.94	B 1.88	B 1.24	B
17.2	14.6	10.2	
3.08	B 3.1	B 1.85	B
62.7	53.3	35.9	
192	B 161	B 112	B

19.8	B 19.7	B 12.5	B
0.0491	< 0.0491	< 0.0494	<
1.19	K 1.2	0.818	K
3.28	B 3.36	B 1.99	KB
0.47	0.467	0.284	<
1.33	1.14	0.797	
5.2	B 4.44	B 3.11	KB
14800	14300	9910	
0.0394	0.0411	0.245	
0.0534	0.0577	0.247	
0.0674	0.0743	0.249	
1	0.99	0.9	
10.2	10.2	10.1	
87.9	87.6	87.4	

Taunton Bay, Franklin - Rep 1 L9632-4 ng/kg	Taunton Bay, Franklin - Rep 2 L9632-10 ng/kg	Taunton Bay, Franklin - Rep 3 L9632-16 ng/kg
0.605	B 0.478	KB 0.56
0.688	KB 0.607	B 0.658
0.667	B 0.525	B 0.555
0.225	< 0.301	< 0.462
0.149	< 0.185	< 0.33
0.138	< 0.171	< 0.295
0.142	< 0.176	< 0.307
0.501	KB 0.414	B 0.399
0.135	< 0.168	< 0.292
0.143	< 0.177	< 0.297
2.57	B 5.2	B 2.07
0.142	< 0.176	< 0.3
0.14	< 0.174	< 0.298
0.474	K 0.455	K 0.423
0.44	KB 0.341	KB 0.266
0.431	KB 0.379	B 0.367
1.05	B 1.04	0.84
0.115	B 0.122	KB 0.107
3.14	B 2.66	B 2.19
0.951	B 0.835	B 0.765
0.87	B 0.729	B 0.66
0.0481	< 0.0493	< 0.0498
0.0481	< 0.0493	< 0.0498
0.305	KB 0.225	KB 0.218
0.514	0.414	B 0.294
0.112	0.074	0.082
2.09	B 1.78	B 1.36
0.318	B 0.294	B 0.243
0.0481	< 0.0493	< 0.0498
0.141	0.081	K 0.093
0.085	0.099	< 0.0498
0.622	B 0.545	B 0.389
0.0481	< 0.0493	< 0.0498
0.07	< 0.0493	< 0.0498
1.52	B 1.17	B 1.19
1.09	B 0.906	B 0.665
0.178	< 0.0493	0.116
4.53	B 3.87	B 3.04
0.339	0.255	B 0.272
0.125	K 0.093	K 0.111
0.72	B 0.644	B 0.459
3.44	B 3.03	B 2.28
0.444	K 0.406	0.338
6.76	B 5.85	B 4.5
0.0481	< 0.0493	< 0.0498
0.158	< 0.0687	K 0.161
1.99	B 1.75	B 1.45
0.0692	< 0.0681	K 0.052

0.069	< 0.0679	< 0.0498
0.4	K 0.398	0.262
1.24	B 1.09	B 0.886
9.61	B 7.86	B 6.34
0.42	K 0.355	0.314
1.71	B 1.5	B 1.25
5.64	B 4.72	B 4.04
0.248	0.235	0.159
0.249	K 0.207	K 0.167
0.174	K 0.144	0.11
0.0481	< 0.0493	< 0.0498
0.963	B 0.806	B 0.666
0.0674	< 0.0663	< 0.0498
0.247	0.222	K 0.127
0.0596	< 0.0586	< 0.0498
0.0723	< 0.0704	< 0.0498
1.19	1.01	0.719
19	B 16.1	B 12.9
2.45	2.12	1.63
4.1	B 3.62	B 2.88
9.93	B 8.16	B 6.67
1.92	1.52	1.24
0.084	< 0.0608	< 0.0569
22	B 17.9	B 14.2
3.65	3.31	2.41
11.2	B 9.46	B 7
0.139	K 0.088	< 0.0597
0.054	< 0.0493	< 0.0498
0.27	0.218	0.161
0.0481	< 0.0493	< 0.0498
9.5	B 8.29	B 6.29
0.0992	< 0.113	< 0.0922
0.506	K 0.46	K 0.389
2.67	2.31	1.73
16	B 13.5	B 10.6
0.096	K 0.1	K 0.072
0.0481	< 0.0493	< 0.0498
0.392	K 0.301	K 0.211
24.9	B 21.6	B 17.1
0.478	K 0.438	0.307
0.0481	< 0.0493	< 0.0498
0.167	K 0.245	< 0.101
0.45	0.312	K 0.387
0.249	K 0.199	K 0.166
0.102	< 0.117	< 0.0974
7.94	B 6.82	B 5.65
60.7	B 52.6	B 42
3.03	2.61	1.94
0.183	K 0.154	K 0.143
6.49	5.48	4.15
1.47	1.19	0.92
1.27	K 1.09	0.916

10.6	8.86	6.62
2.15	1.82	1.31
0.488	0.497	K 0.405
0.572	K 0.524	0.457
0.679	< 0.138	< 0.0931
0.185	< 0.152	< 0.101
1.03	0.837	0.662
0.0481	< 0.0493	< 0.0498
14.6	B 12.2	B 9.23
24.5	B 19.6	B 15.3
0.252	K 0.176	0.149
0.091	< 0.0493	K 0.086
0.0481	< 0.0493	< 0.0498
79.9	B 67	B 52.9
0.065	K 0.051	K 0.054
2.87	B 2.64	B 2.08
3.05	B 2.76	B 2.27
0.13	< 0.107	< 0.0725
0.128	< 0.105	< 0.0707
0.256	0.167	K 0.169
0.32	0.246	0.185
0.146	< 0.12	< 0.0799
2.46	2	1.76
0.131	< 0.106	< 0.0704
1.07	KB 1.08	B 1.3
3.1	2.61	2.17
0.233	0.158	K 0.138
0.177	KB 0.099	B 0.168
0.618	0.583	K 0.405
0.877	0.753	0.587
6.81	B 5.78	B 4.79
4.82	4.27	3.2
3.77	3	2.42
5.35	B 5.32	B 4.97
0.0481	< 0.0493	< 0.0498
0.0481	< 0.0493	< 0.0498
10.4	B 8.76	B 6.99
0.097	K 0.103	K 0.061
0.0481	< 0.0493	< 0.0498
32.2	B 26.9	B 21.2
0.159	0.143	K 0.129
0.23	0.216	0.167
0.548	0.542	K 0.495
0.157	K 0.106	K 0.14
0.0481	< 0.0493	< 0.0498
0.549	B 0.492	B 0.524
0.101	B 0.137	B 0.176
0.182	B 0.177	KB 0.16
0.865	0.643	0.571
0.348	0.24	B 0.231
2.13	1.6	1.45
5.51	B 4.61	B 3.79

0.578	B 0.614	B 0.593
0.0481	< 0.0493	< 0.0498
0.068	< 0.0493	K 0.056
0.291	KB 0.252	KB 0.264
0.0481	< 0.0493	< 0.0498
0.148	K 0.086	K 0.12
0.567	B 0.451	B 1.5
487	414	330
	427	341
0.0262	0.00113	0.000889
0.0282	0.00958	0.00705
0.0301	0.018	0.0132
0.67	0.62	0.44
10.4	10.1	10.1
89.7	90.6	91.6

DEP ID	Back Cove, Portland - Rep 1		Back Cove, Portland - Rep 2	
EXT ID	L9632-5	ng/kg	L9632-11	ng/kg
Compound	TEQ		TEQ	
PCB-77	B 11.8	0.00118	B 11.7	0.00117
PCB-81	K 0.588	0	K 3	0
PCB-105	B 271	0.00813	B 308	0.00924
PCB-114	14	0.00042	15.4	0.000462
PCB-118	B 734	0.022	B 787	0.0236
PCB-123	11.6	0.000348	14.3	0.000429
PCB-126	2.28	0.228	K 2.03	0
PCB-156 + 157	B 97	0.00291	B 97.3	0.00292
PCB-167	58	0.00174	59.3	0.00178
PCB-169	< 0.241	0	< 1.28	0
PCB-189	5.81	0.000174	5.96	0.000179
Total TEQ (ND=0)	0.265		0.0398	
% Lipid	1.31		1.12	
Sample weight (g)	10.1		10.1	
% Moisture	87.1		86.7	

FLAGS

< =not detected

K =peak detected, but did not meet quantification criteria, result reported represents

D =dilution data

B =analyte found in sample and the associated blank

Back Cove, Portland - Rep 3		Cocktail Cove, GDI - Rep 1		Cocktail Cove, GDI - Rep 2	
L9632-17	ng/kg	L9632-3	ng/kg	L9632-9	ng/kg
	TEQ		TEQ		TEQ
11.2	0.00112	B 5.96	0.000596	B 5.56	0.000556
0.504	0	K 0.254	0	K 0.286	0
252	0.00756	B 69.9	0.0021	B 70.3	0.00211
12.6	0.000378	3.32	0.0000996	3.62	0.000109
691	0.0207	B 217	0.00651	B 217	0.00651
9.98	0.000299	3.22	0.0000966	3.65	0.00011
2	0.2	0.969	0.0969	0.925	0.0925
92.5	0.00278	B 25.3	0.000759	B 24.3	0.000729
54.6	0.00164	16	0.00048	15.2	0.000456
0.25	0	< 0.12	0	< 0.131	0
5.78	0.000173	1.82	0.0000546	1.66	0.0000498
0.235		0.108		0.103	
1.12		1.28		1.21	
10.1		10		10.1	
86.3		84		85.2	

; the estimated maximum possible concentration

Cocktail Cove, GDI - Rep 3 L9632-15 ng/kg		Mill Creek, Falmouth - Rep 1 L9632-2 (A) ng/kg		Mill Creek, Falmc WG21297-103 (I) ng/kg	
	TEQ		TEQ		
B 5.63	0.000563	B 16.8	0.00168	B 16.4	
K 0.191	0	K 0.522	0	K 0.634	
B 68.3	0.00205	B 194	0.00582	B 197	
3.15	0.0000945	8.2	0.000246	8.07	
B 214	0.00642	B 558	0.0167	B 565	
3.5	0.000105	8.99	0.00027	K 9.03	
0.864	0.0864	2.48	0.248	2.42	
B 25.5	0.000765	B 53.5	0.00161	B 53.6	
16.5	0.000495	31.7	0.000951	31.6	
< 0.195	0	< 0.3	0	< 0.3	
1.83	0.0000549	3.12	0.0000936	3.19	
0.0969		0.275		0.269	
1.23		1.66		1.65	
10.2		10.1		10.1	
84.4		82.9		82.5	

outh - Rep 1 (Duplicat Mill Creek, Falmouth - Rep 2
 DUP L9632-2) L9632-8
 ng/kg

TEQ		TEQ		TEQ	
0.00164	B 17.7	0.00177	B 16.3	0.00163	B
0	K 0.741	0	K 0.653	0	K
0.00591	B 209	0.00627	B 186	0.00558	B
0.000242	9.57	0.000287	8.06	0.000242	
0.017	B 610	0.0183	B 536	0.0161	B
0	8.79	0.000264	K 8.09	0	K
0.242	2.51	0.251	2.37	0.237	K
0.00161	B 54.7	0.00164	B 49	0.00147	B
0.000948	31.6	0.000948	28.8	0.000864	
0	< 0.3	0	< 0.128	0	<
0.0000957	3.13	0.0000939	2.73	0.0000819	

0.281 0.263

2.11	1.51
10.5	10
81.9	82

Spruce Creek, Kittery - Rep 1 L9632-1 ng/kg	TEQ	Spruce Creek, Kittery - Rep 2 L9632-7 ng/kg	TEQ	Spruce Creek, Kittery - Rep 3 L9632-13 ng/kg	TEQ
16.9	0.00169	B 18.5	0.00185	B 13.9	0.00139
0.619	0	K 0.845	0	K 0.484	0
233	0.00699	B 253	0.00759	B 186	0.00558
10.4	0.000312	11.6	0.000348	8.02	0.000241
831	0.0249	B 855	0.0257	B 626	0.0188
10.6	0	13.2	0.000396	8.42	0.000253
3.26	0	K 2.96	0	2.15	0.215
101	0.00303	B 100	0.003	B 77.5	0.00233
74.2	0.00223	68.6	0.00206	50.9	0.00153
0.36	0	< 0.3	0	< 0.138	0
6.77	0.000203	6.04	0.000181	4.65	0.00014
0.0394		0.0411		0.245	
1		0.99		0.9	
10.1		10.1		10.1	
87.9		87.6		87.4	

Taunton Bay, Franklin - Rep 1 L9632-4 ng/kg		Taunton Bay, Franklin - Rep 2 L9632-10 ng/kg		Taunton Bay, Franklin - Rep 3 L9632-16 ng/kg	
	TEQ		TEQ		TEQ
B 0.963	0.0000963	B 0.806	0.0000806	B 0.666	
< 0.0723	0	< 0.0704	0	< 0.0498	
B 9.5	0.000285	B 8.29	0.000249	B 6.29	
K 0.392	0	K 0.301	0	K 0.211	
B 24.9	0.000747	B 21.6	0.000648	B 17.1	
K 0.45	0	0.312	0.00000936	K 0.387	
0.249	0.0249	K 0.199	0	K 0.166	
B 2.87	0.0000861	B 2.64	0.0000792	B 2.08	
2.46	0.0000738	2	0.00006	1.76	
< 0.131	0	< 0.106	0	< 0.0704	
K 0.23	0	0.216	0.00000648	0.167	
0.0262		0.00113		0.000889	
0.67		0.62		0.44	
10.4		10.1		10.1	
89.7		90.6		91.6	

anklin - Rep 3

TEQ
0.0000666
0
0.000189
0
0.000513
0
0
0.0000624
0.0000528
0
0.00000501

DEP ID	Back Cove, Portland - Rep 1		Back Cove, Portland - Rep 2	
EXT ID	L9632-5	ng/kg	L9632-11	ng/kg
Compound	TEQ		TEQ	
PCB-77	B 11.8	0.00118	B 11.7	0.00117
PCB-81	K 0.588	0.0000474	K 3	0.000117
PCB-105	B 271	0.00813	B 308	0.00924
PCB-114	14	0.00042	15.4	0.000462
PCB-118	B 734	0.022	B 787	0.0236
PCB-123	11.6	0.000348	14.3	0.000429
PCB-126	2.28	0.228	K 2.03	0.0755
PCB-156 + 157	B 97	0.00291	B 97.3	0.00292
PCB-167	58	0.00174	59.3	0.00178
PCB-169	< 0.241	0.00723	< 1.28	0.0384
PCB-189	5.81	0.000174	5.96	0.000179
Total TEQ (ND=DL)	0.272		0.154	
% Lipid	1.31		1.12	
Sample weight (g)	10.1		10.1	
% Moisture	87.1		86.7	

FLAGS

< =not detected
 K =peak detected, but did not meet quantification criteria, result reported represents
 D =dilution data
 B =analyte found in sample and the associated blank

Back Cove, Portland - Rep 3		Cocktail Cove, GDI - Rep 1		Cocktail Cove, GDI - Rep 2	
L9632-17	ng/kg	L9632-3	ng/kg	L9632-9	ng/kg
	TEQ		TEQ		TEQ
11.2	0.00112	B 5.96	0.000596	B 5.56	0.000556
0.504	0.0000702	K 0.254	0.0000579	K 0.286	0.0000657
252	0.00756	B 69.9	0.0021	B 70.3	0.00211
12.6	0.000378	3.32	0.0000996	3.62	0.000109
691	0.0207	B 217	0.00651	B 217	0.00651
9.98	0.000299	3.22	0.0000966	3.65	0.00011
2	0.2	0.969	0.0969	0.925	0.0925
92.5	0.00278	B 25.3	0.000759	B 24.3	0.000729
54.6	0.00164	16	0.00048	15.2	0.000456
0.25	0.0075	< 0.12	0.0036	< 0.131	0.00393
5.78	0.000173	1.82	0.0000546	1.66	0.0000498
0.242		0.111		0.107	
1.12		1.28		1.21	
10.1		10		10.1	
86.3		84		85.2	

; the estimated maximum possible concentration

Cocktail Cove, GDI - Rep 3 L9632-15 ng/kg		Mill Creek, Falmouth - Rep 1 L9632-2 (A) ng/kg		Mill Creek, Falmc WG21297-103 (I) ng/kg	
	TEQ		TEQ		
B 5.63	0.000563	B 16.8	0.00168	B 16.4	
K 0.191	0.0000369	K 0.522	0.0000435	K 0.634	
B 68.3	0.00205	B 194	0.00582	B 197	
3.15	0.0000945	8.2	0.000246	8.07	
B 214	0.00642	B 558	0.0167	B 565	
3.5	0.000105	8.99	0.00027	K 9.03	
0.864	0.0864	2.48	0.248	2.42	
B 25.5	0.000765	B 53.5	0.00161	B 53.6	
16.5	0.000495	31.7	0.000951	31.6	
< 0.195	0.00585	< 0.3	0.009	< 0.3	
1.83	0.0000549	3.12	0.0000936	3.19	
0.103		0.284		0.278	
1.23		1.66		1.65	
10.2		10.1		10.1	
84.4		82.9		82.5	

outh - Rep 1 (Duplicat Mill Creek, Falmouth - Rep 2
DUP L9632-2) L9632-8
ng/kg

TEQ		TEQ	
0.00164	B 17.7	0.00177	B 16.3
0.0000738	K 0.741	0.0000624	K 0.653
0.00591	B 209	0.00627	B 186
0.000242	9.57	0.000287	8.06
0.017	B 610	0.0183	B 536
0.00000459	8.79	0.000264	K 8.09
0.242	2.51	0.251	2.37
0.00161	B 54.7	0.00164	B 49
0.000948	31.6	0.000948	28.8
0.009	< 0.3	0.009	< 0.128
0.0000957	3.13	0.0000939	2.73

Mill Creek, Falmouth - Rep 3
L9632-14
ng/kg

TEQ		TEQ	
0.00163	B	0.0000531	K
0.00558	B	0.000242	B
0.0161	B	0.00000591	K
0.237	K	0.000864	B
0.00147	B	0.00384	<
0.0000819			

0.29 0.267

2.11 1.51
10.5 10
81.9 82

Spruce Creek, Kittery - Rep 1 L9632-1 ng/kg	TEQ	Spruce Creek, Kittery - Rep 2 L9632-7 ng/kg	TEQ	Spruce Creek, Kittery - Rep 3 L9632-13 ng/kg	TEQ
16.9	0.00169	B 18.5	0.00185	B 13.9	0.00139
0.619	0.0000687	K 0.845	0.000048	K 0.484	0.0000277
233	0.00699	B 253	0.00759	B 186	0.00558
10.4	0.000312	11.6	0.000348	8.02	0.000241
831	0.0249	B 855	0.0257	B 626	0.0188
10.6	0.0000051	13.2	0.000396	8.42	0.000253
3.26	0.0171	K 2.96	0.0242	2.15	0.215
101	0.00303	B 100	0.003	B 77.5	0.00233
74.2	0.00223	68.6	0.00206	50.9	0.00153
0.36	0.0108	< 0.3	0.009	< 0.138	0.00414
6.77	0.000203	6.04	0.000181	4.65	0.00014
0.0674		0.0743		0.249	
1		0.99		0.9	
10.1		10.1		10.1	
87.9		87.6		87.4	

Taunton Bay, Franklin - Rep 1		Taunton Bay, Franklin - Rep 2		Taunton Bay, Franklin - Rep 3	
L9632-4	ng/kg	L9632-10	ng/kg	L9632-16	ng/kg
B 0.963	0.0000963	B 0.806	0.0000806	B 0.666	
< 0.0723	0.0000217	< 0.0704	0.0000211	< 0.0498	
B 9.5	0.000285	B 8.29	0.000249	B 6.29	
K 0.392	0.00000321	K 0.301	0.00000372	K 0.211	
B 24.9	0.000747	B 21.6	0.000648	B 17.1	
K 0.45	0.0000033	0.312	0.00000936	K 0.387	
0.249	0.0249	K 0.199	0.0137	K 0.166	
B 2.87	0.0000861	B 2.64	0.0000792	B 2.08	
2.46	0.0000738	2	0.00006	1.76	
< 0.131	0.00393	< 0.106	0.00318	< 0.0704	
K 0.23	0.00000144	0.216	0.00000648	0.167	
0.0301		0.018		0.0132	
0.67		0.62		0.44	
10.4		10.1		10.1	
89.7		90.6		91.6	

anklin - Rep 3

TEQ
0.0000666
0.0000149
0.000189
0.00000294
0.000513
0.000003
0.0102
0.0000624
0.0000528
0.00211
0.00000501

DEP ID	Back Cove, Portland - Rep 1		Back Cove, Portland - Rep 2	
EXT ID	L9632-5	ng/kg	L9632-11	ng/kg
Compound	TEQ		TEQ	
PCB-77	B 11.8	0.00118	B 11.7	0.00117
PCB-81	K 0.588	0.0000237	K 3	0.0000585
PCB-105	B 271	0.00813	B 308	0.00924
PCB-114	14	0.00042	15.4	0.000462
PCB-118	B 734	0.022	B 787	0.0236
PCB-123	11.6	0.000348	14.3	0.000429
PCB-126	2.28	0.228	K 2.03	0.0378
PCB-156 + 157	B 97	0.00291	B 97.3	0.00292
PCB-167	58	0.00174	59.3	0.00178
PCB-169	< 0.241	0.00362	< 1.28	0.0192
PCB-189	5.81	0.000174	5.96	0.000179
Total TEQ (ND=1/2DL)	0.269		0.0968	
% Lipid	1.31		1.12	
Sample weight (g)	10.1		10.1	
% Moisture	87.1		86.7	

FLAGS

< =not detected
 K =peak detected, but did not meet quantification criteria, result reported represents
 D =dilution data
 B =analyte found in sample and the associated blank

Back Cove, Portland - Rep 3		Cocktail Cove, GDI - Rep 1		Cocktail Cove, GDI - Rep 2	
L9632-17	ng/kg	L9632-3	ng/kg	L9632-9	ng/kg
	TEQ		TEQ		TEQ
11.2	0.00112	B 5.96	0.000596	B 5.56	0.000556
0.504	0.0000351	K 0.254	0.000029	K 0.286	0.0000329
252	0.00756	B 69.9	0.0021	B 70.3	0.00211
12.6	0.000378	3.32	0.0000996	3.62	0.000109
691	0.0207	B 217	0.00651	B 217	0.00651
9.98	0.000299	3.22	0.0000966	3.65	0.00011
2	0.2	0.969	0.0969	0.925	0.0925
92.5	0.00278	B 25.3	0.000759	B 24.3	0.000729
54.6	0.00164	16	0.00048	15.2	0.000456
0.25	0.00375	< 0.12	0.0018	< 0.131	0.00197
5.78	0.000173	1.82	0.0000546	1.66	0.0000498
0.238		0.109		0.105	
1.12		1.28		1.21	
10.1		10		10.1	
86.3		84		85.2	

; the estimated maximum possible concentration

Cocktail Cove, GDI - Rep 3 L9632-15 ng/kg		Mill Creek, Falmouth - Rep 1 L9632-2 (A) ng/kg		Mill Creek, Falmc WG21297-103 (I) ng/kg	
	TEQ		TEQ		
B 5.63	0.000563	B 16.8	0.00168	B 16.4	
K 0.191	0.0000185	K 0.522	0.0000218	K 0.634	
B 68.3	0.00205	B 194	0.00582	B 197	
3.15	0.0000945	8.2	0.000246	8.07	
B 214	0.00642	B 558	0.0167	B 565	
3.5	0.000105	8.99	0.00027	K 9.03	
0.864	0.0864	2.48	0.248	2.42	
B 25.5	0.000765	B 53.5	0.00161	B 53.6	
16.5	0.000495	31.7	0.000951	31.6	
< 0.195	0.00293	< 0.3	0.0045	< 0.3	
1.83	0.0000549	3.12	0.0000936	3.19	
0.0999		0.28		0.274	
1.23		1.66		1.65	
10.2		10.1		10.1	
84.4		82.9		82.5	

South - Rep 1 (Duplicate Mill Creek, Falmouth - Rep 2 DUP L9632-2)		Mill Creek, Falmouth - Rep 3 L9632-14	
	L9632-8 ng/kg		ng/kg
TEQ	TEQ	TEQ	
0.00164	B 17.7	0.00177	B 16.3
0.0000369	K 0.741	0.0000312	K 0.653
0.00591	B 209	0.00627	B 186
0.000242	9.57	0.000287	8.06
0.017	B 610	0.0183	B 536
0.0000023	8.79	0.000264	K 8.09
0.242	2.51	0.251	2.37
0.00161	B 54.7	0.00164	B 49
0.000948	31.6	0.000948	28.8
0.0045	< 0.3	0.0045	< 0.128
0.0000957	3.13	0.0000939	2.73

0.285 0.265

2.11	1.51
10.5	10
81.9	82

Spruce Creek, Kittery - Rep 1 L9632-1 ng/kg	TEQ	Spruce Creek, Kittery - Rep 2 L9632-7 ng/kg	TEQ	Spruce Creek, Kittery - Rep 3 L9632-13 ng/kg	TEQ
16.9	0.00169	B 18.5	0.00185	B 13.9	0.00139
0.619	0.0000344	K 0.845	0.000024	K 0.484	0.0000138
233	0.00699	B 253	0.00759	B 186	0.00558
10.4	0.000312	11.6	0.000348	8.02	0.000241
831	0.0249	B 855	0.0257	B 626	0.0188
10.6	0.00000255	13.2	0.000396	8.42	0.000253
3.26	0.00855	K 2.96	0.0121	2.15	0.215
101	0.00303	B 100	0.003	B 77.5	0.00233
74.2	0.00223	68.6	0.00206	50.9	0.00153
0.36	0.0054	< 0.3	0.0045	< 0.138	0.00207
6.77	0.000203	6.04	0.000181	4.65	0.00014
0.0534		0.0577		0.247	
1		0.99		0.9	
10.1		10.1		10.1	
87.9		87.6		87.4	

Taunton Bay, Franklin - Rep 1 L9632-4 ng/kg	TEQ	Taunton Bay, Franklin - Rep 2 L9632-10 ng/kg	TEQ	Taunton Bay, Franklin - Rep 2 L9632-16 ng/kg
B 0.963	0.0000963	B 0.806	0.0000806	B 0.666
< 0.0723	0.0000108	< 0.0704	0.0000106	< 0.0498
B 9.5	0.000285	B 8.29	0.000249	B 6.29
K 0.392	0.00000161	K 0.301	0.00000186	K 0.211
B 24.9	0.000747	B 21.6	0.000648	B 17.1
K 0.45	0.00000165	0.312	0.00000936	K 0.387
0.249	0.0249	K 0.199	0.00685	K 0.166
B 2.87	0.0000861	B 2.64	0.0000792	B 2.08
2.46	0.0000738	2	0.00006	1.76
< 0.131	0.00197	< 0.106	0.00159	< 0.0704
K 0.23	0.000000722	0.216	0.00000648	0.167

0.0282	0.00958	0.00705
--------	---------	---------

0.67	0.62	0.44
10.4	10.1	10.1
89.7	90.6	91.6

anklin - Rep 3

TEQ
0.0000666
0.00000747
0.000189
0.00000147
0.000513
0.0000015
0.0051
0.0000624
0.0000528
0.00106
0.00000501

DEP ID	EXTRACTION BLANKS
EXT ID	Lab Blank WG21297-101
Compound	
PCB-1	0.087
PCB-2	K 0.083
PCB-3	K 0.246
PCB-4	< 0.28
PCB-5	< 0.202
PCB-6	< 0.183
PCB-7	< 0.187
PCB-8	K 0.315
PCB-9	< 0.18
PCB-10	< 0.189
PCB-11	0.66
PCB-12 + 13	< 0.188
PCB-14	< 0.185
PCB-15	< 0.22
PCB-16	K 0.124
PCB-17	0.145
PCB-18 + 30	K 0.267
PCB-19	K 0.052
PCB-20 + 28	0.372
PCB-21 + 33	0.186
PCB-22	K 0.096
PCB-23	< 0.025
PCB-24	< 0.0245
PCB-25	K 0.03
PCB-26 + 29	K 0.07
PCB-27	< 0.0232
PCB-31	0.28
PCB-32	K 0.087
PCB-34	< 0.0246
PCB-35	< 0.0256
PCB-36	< 0.0238
PCB-37	K 0.096
PCB-38	< 0.0246
PCB-39	< 0.0239
PCB-40 + 41 + 71	0.117
PCB-42	0.067
PCB-43	< 0.0346
PCB-44 + 47 + 65	0.252
PCB-45 + 51	K 0.032
PCB-46	< 0.0349
PCB-48	0.078
PCB-49 + 69	K 0.147
PCB-50 + 53	< 0.0301
PCB-52	K 0.336
PCB-54	< 0.0267
PCB-55	< 0.031
PCB-56	K 0.064
PCB-57	< 0.0308

PCB-58	< 0.0306
PCB-59 + 62 + 75	< 0.0227
PCB-60	0.053
PCB-61 + 70 + 74 + 76	0.288
PCB-63	< 0.0285
PCB-64	0.075
PCB-66	0.179
PCB-67	< 0.0266
PCB-68	< 0.0303
PCB-72	< 0.0288
PCB-73	< 0.0233
PCB-77	0.054
PCB-78	< 0.0299
PCB-79	< 0.0261
PCB-80	< 0.0266
PCB-81	< 0.05
PCB-82	< 0.064
PCB-83 + 99	K 0.107
PCB-84	< 0.0655
PCB-85 + 116 + 117	K 0.049
PCB-86 + 87 + 97 + 108 + 119 + 125	K 0.152
PCB-88 + 91	< 0.0593
PCB-89	< 0.0626
PCB-90 + 101 + 113	0.222
PCB-92	< 0.0593
PCB-93 + 95 + 98 + 100 + 102	0.18
PCB-94	< 0.0651
PCB-96	< 0.0365
PCB-103	< 0.0536
PCB-104	< 0.0399
PCB-105	K 0.175
PCB-106	< 0.0451
PCB-107 + 124	< 0.0476
PCB-109	< 0.0421
PCB-110 + 115	0.203
PCB-111	< 0.0442
PCB-112	< 0.0432
PCB-114	< 0.047
PCB-118	0.349
PCB-120	< 0.0415
PCB-121	< 0.0448
PCB-122	< 0.0499
PCB-123	< 0.0477
PCB-126	< 0.0491
PCB-127	< 0.0454
PCB-128 + 166	K 0.124
PCB-129 + 138 + 160 + 163	0.496
PCB-130	< 0.0866
PCB-131	< 0.0846
PCB-132	< 0.0862
PCB-133	< 0.0816
PCB-134 + 143	< 0.0846

PCB-135 + 151 + 154	< 0.054
PCB-136	< 0.0417
PCB-137	< 0.0798
PCB-139 + 140	< 0.0758
PCB-141	K 0.082
PCB-142	< 0.0848
PCB-144	< 0.055
PCB-145	< 0.0448
PCB-146	K 0.098
PCB-147 + 149	K 0.178
PCB-148	< 0.0556
PCB-150	< 0.0428
PCB-152	< 0.041
PCB-153 + 168	K 0.52
PCB-155	< 0.0399
PCB-156 + 157	K 0.137
PCB-158	K 0.057
PCB-159	< 0.0579
PCB-161	< 0.0582
PCB-162	< 0.0591
PCB-164	< 0.0575
PCB-165	< 0.0664
PCB-167	< 0.052
PCB-169	< 0.0544
PCB-170	K 0.153
PCB-171 + 173	< 0.0342
PCB-172	< 0.0338
PCB-174	K 0.07
PCB-175	< 0.032
PCB-176	< 0.0246
PCB-177	K 0.068
PCB-178	< 0.0324
PCB-179	< 0.024
PCB-180 + 193	0.274
PCB-181	< 0.0326
PCB-182	< 0.0313
PCB-183 + 185	K 0.087
PCB-184	< 0.0239
PCB-186	< 0.0257
PCB-187	0.159
PCB-188	< 0.024
PCB-189	< 0.0257
PCB-190	< 0.0258
PCB-191	< 0.0251
PCB-192	< 0.0277
PCB-194	0.061
PCB-195	K 0.023
PCB-196	0.03
PCB-197 + 200	< 0.015
PCB-198 + 199	K 0.039
PCB-201	< 0.0149
PCB-202	0.018

PCB-203	K 0.039
PCB-204	< 0.0149
PCB-205	< 0.05
PCB-206	0.053
PCB-207	< 0.0163
PCB-208	< 0.05
PCB-209	K 0.081
Total PCBs	4.94

FLAGS

Total TEQ (ND=0)
Total TEQ (ND=1/2DL)
Total TEQ (ND=DL)

< =not detected
K =peak detected, but did not meet quantification criteria, result re
D =dilution data
B =analyte found in sample and the associated blank

eported represents the estimated maximum possible concentration